

Product datasheet

Specifications



APC Netshelter Rack Automatic Transfer Switch, 1U, 12A, 208V , C14 IN, 12 C13 OUT, 50/60Hz

AP4433A

Overview

Lead Time Usually in Stock

Main

Main Input Voltage 208 V AC 1 phase

Product Or Component Type Automatic transfer switch

Main Output Voltage 208 V AC 1 phase

Input Connection Type IEC 60320 C14 12 A 2P + E

Number Of Rack Unit 1U

Cable Length 2.44 m

Number Of Cables 2

Provided Equipment Mounting hardware
Rack mounting brackets
Serial configuration cable

Physical

Colour Black

Height 4.4 cm

Width 43.2 cm

Depth 23.6 cm

Net Weight 3.74 kg

Mounting Location Front
Rear

Mounting Preference No preference

Mounting Mode Rack-mounted

Mounting Position Horizontal

Input

Network Frequency 50/60 Hz

[In] Rated Current 12 A

Permissible Voltage 187...228 V

Max Line Current 12 A

Input Current Limits 12 A

Load Capacity 3300 VA

Output

Max Current Draw	12 A
Number Of Power Socket Outlets	12 IEC 60320 C13 12 A 2P + E
Protection Type	Without circuit breaker
Power Cable Length	2.44 m

Conformance

Standards	EN 55022 class A FCC part 15 class A
-----------	---

Environmental

Ambient Air Temperature For Operation	-5...45 °C
Relative Humidity	5...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-25...65 °C
Storage Relative Humidity	5...95 %
Storage Altitude	0...15240 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11.4 cm
Package 1 Width	60 cm
Package 1 Length	35.6 cm
Package 1 Weight	5.51 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Take-back Transparency RoHS/REACH

Resource performance

Take-Back Program Available

Well-being performance

Lead Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile [End of Life Information](#)
