UL Product **iQ**™



NMTR.E202071 - Power Circuit and Motor-mounted Apparatus

Power Circuit and Motor-mounted Apparatus

See General Information for Power Circuit and Motor-mounted Apparatus

BEL FUSE INC E202071

206 VAN VORST ST JERSEY CITY, NJ 07302-4421 USA

Trademark and/or Tradename: "bel", be



Active oring controllers, open type Model(s) LDX-D50

Power Circuit and Motor-Mounted Apparatus, Open Type Switching Power Supplies Model(s) LDC240-12, LDC240-12P, LDC240-24, LDC240-24P, LDC240-48P, LDC240-48P, LDC240-72P, LDC240-72P, LDC480-24P, LDC480-48P, LDC480-48P, LDC480-72P, LDC480-72P, LDN20-12P, LDN20-24P, LDN40-12P, LDN40-14P, L

Power Circuit and Motor-mounted Apparatus, Switching Power Supply Model(s) LDC120-24P, LDC120-24P, LDC120-48P, LDC120-48P, LDN120-12, LDN120-24P, LD

Switching mode power supplies, open type Model(s) LDT2400-170, LDT2400-24, LDT2400-48, LDT2400-72

Switching power supplies "EW and LW Series" Model(s) ELS4913-PS-AC, ELS4914-PS-AC, ELS8913-PS-AC, ELS8914-PS-AC

Switching power supplies Model(s) LOK 4yxx-2zzz, LOK 4yyy-zxxxx, LOR 4yxx-2zzz, LOS 4yxx-2zzz

Investigated to ANSI/UL 508

Open Type, Battery Charger Model(s) LDX-C120-12, LDX-C120-24, LDX-U20

Open Type, DC/DC Converter Model(s) LDD240-WU, LDD960-UU

Open Type, SMPS and Battery Charger "NCU120" Model(s) LDB120-12, LDB120-24

Power Circuit and Motor-Mounted Apparatus, Open Type Switching Power Supplies "NPSM20" Model(s) LDN20-5

Self-tracking DC Buffer Unit Model(s) LDX-B20

Switching mode power supplies, open type Model(s) LDW25-12, LDW25-12S, LDW25-24S, LDW25-24S, LDW25-48S

Last Updated on 2019-02-08

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission

from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"